| Form PTO-1449 (modified)          |  |   |  |  | Atty. Docket No.  |   | Serial No.   |  |
|-----------------------------------|--|---|--|--|---|---|--|--|
|                                   |  | nd Publications fo  |  | Applicant M. Benjamin  |   |   | 7,991  |  |
| (Use several sheets if necessary) |  |   |  | Filing Date:<br>October 30, 2  |   |   | Group:   |  |
| U                                 |  | t Documents<br>Page 1   |  | Patent Documen See Page 1  |   |   | Other Art See Page 1   |  |
|                                   |  |   | U.S. Pate  | ent Docume   | ents  |   | ·  |  |
| Exam.<br>Init.                    | Ref.<br>Des.                           | Document<br>Number  | Date   | Name   | Class   | Sub<br>Class  | Filing Date o<br>App.  |  |
|                                   |  | 1   | oreign Pa  | atent Docur  | nents   | <u> </u>  |  |  |
| Exam.<br>Init.                    | Ref.<br>Des.                           | Document<br>Number  | Date   | Country  | Class   | Sub<br>Class  | Translation<br>Yes/No  |  |
|                                   | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | A-4 (11-1)  |  |  |   |   |  |  |
| Exam.                             | Ref.                                   | Art (Includi  | ng Author  | , Title, Date  |   | ent Pag   | jes, Etc.)   |  |
| lnit.                             | Des.                                   |   |  |  |   |   |  |  |
|                                   | 01                                     | Anderson et al., "A comparison of selected mRNA and protein abundances in human liver," Electrophoresis, 18:533-537, 1997.                                    |  |  |   |   |  |  |
| 4                                 | Cl                                     | Electrophoresis,  | 18:533-537, 199  | 7.   | and protein   |   |  |  |
| 6                                 | C2                                     | Boheler et al., "S  | keletal actin mR   | 7.  NA increases in the form of control and  | ne human h  | eart during of  | ontogenic  |  |
| 6                                 |  | Boheler et al., "S<br>development and<br>88:323-330, 1991<br>Bucknall et al., "   | keletal actin mR is the major isol   | NA increases in the  | ne human h<br>d failing ad  | eart during oult hearts,",  | Ontogenic  J. Clin, Invest.,   |  |
| 6                                 | C2                                     | Boheler et al., "S<br>development and<br>88:323-330, 1991<br>Bucknall et al., "S<br>spectrometry," Ja<br>Caprioli et al., "N                                  | keletal actin mR is the major isole.  Practical quantita purnal of Americal follocular imagin  | NA increases in the form of control and attive biomedical a an Society of Mass   | ne human h d failing ad pplications s Spectrome                         | eart during out the hearts,", of MALDI-                               | Ontogenic  J. Clin, Invest.,   |  |
| 6                                 | C2                                     | Boheler et al., "S<br>development and<br>88:323-330, 199<br>Bucknall et al., "s<br>spectrometry," Ja<br>Caprioli et al., "N<br>using MALDI-TO                 | keletal actin mR is the major isola.  Practical quantitation and of Americal of Americal OP MS," Ana. Colorect profiling   | NA increases in the form of control and an increase in the form of control and an Society of Mass. In g of biological same them., 69:4751-476 of proteins in biological in biological same form. | pplications Spectromomples: loca 60, 1997.                              | eart during out thearts,".  of MALDIetry, 13(9): I                    | ontogenic  J. Clin, Invest.,  TOF mass 015-27, 2002.  eptides and protein                            |  |
| 6                                 | C2<br>C3                               | Boheler et al., "S development and 88:323-330, 199!  Bucknall et al., "S spectrometry," Jausing MALDI-TO Chaurand et al., "spectrometry," An                  | keletal actin mR is the major isola.  Practical quantita purnal of Americal follocular imagin DP MS," Ana. Colorect profiling tal. Chem., 71:52 ordant protein and the state of the state o | NA increases in the form of control and an Society of Mass. g of biological same them., 69:4751-476 of proteins in biological same and mass.   | pplications s Spectrome mples: loca 60, 1997.                           | eart during out thearts,".  of MALDIetry, 13(9):1 lization of p       | ontogenic  J. Clin, Invest.,  TOF mass 015-27, 2002.  eptides and proteins  y MALDI mass             |  |
| 6                                 | C2<br>C3<br>C4<br>C5                   | Boheler et al., "S development and 88:323-330, 199!  Bucknall et al., "S spectrometry," Jacus MALDI-To Chaurand et al., "Spectrometry," An Chen et al., "Disc | keletal actin mR is the major isold.  Practical quantitation of Americal OP MS," Ana. Colorect profiling that. Chem., 71:52 ordant protein and the cular & Cellum Mass spectrome   | NA increases in the form of control and an Society of Mass. g of biological sare hem., 69:4751-476 of proteins in biologicals and mRNA express that Proteomics, 1:                               | pplications of Spectromore, 1997.  ogical tissu ion in lung 304-313, 20 | eart during of ult hearts," of MALDI-<br>etry, 13(9): I lization of p | ontogenic  J. Clin, Invest.,  TOF mass 015-27, 2002.  eptides and proteins  y MALDI mass  nomas," J. |  |

| EXAMINER:                               | Helle   | Hale                                     | DATE CONSIDERED:   | 10/09/04                 |
|---|---|--|--|--------------------------|
| EXAMINER: INITIAL CITATION IF NOT IN CO | IF REFERENCE CONSIDER<br>ONFORMANCE AND NOT C | ED, WHETHER OR NOT<br>ONSIDERED. INCLUDE | CITATION IS IN CONFORMANCE WITH MP<br>COPY OF THIS FORM WITH NEXT COMMUN | EP609; DRAW LINE THROUGH |

| Form PTO-1449 (modified)             |             | Atty. Docket No.<br>UTEC:007US   | Serial No.<br>10/697,991 |
|--------------------------------------|-------------|----------------------------------|--------------------------|
| List of Patents and Publications for | Applicant's | Applicant                        | 201071372                |
| Information Disclosure S             | TATEMENT    | M. Benjamin Perryman et al.      |                          |
| (Use several sheets if necessary)    |             | Filing Date:<br>October 30, 2003 | Group: 2881              |
|                                      |             | Patent Documents                 | Other Art                |
|                                      |             | See Page 1                       | See Page 1               |

|                | Other Art (Including Author, Title, Date Pertinent Pages, Etc.) |   |  |  |  |  |  |
|----------------|---|---|--|--|--|--|--|
| Exam.<br>Init. | Ref.<br>Des.  | Citation  |  |  |  |  |  |
| 46             | C9  | Duncan et al., "Quantitative analysis of low molecular weight compounds of biological interest by matrix-assisted lase desorption ionization," Rapid Commun. Mass Spectrom., 7:1090-1094, 1993.   |  |  |  |  |  |
|                | C10   | Gobom et al., "Detection and quantification of neurotensin in human brain tissue by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry," Anal. Chem., 72:3320-3326, 2000.   |  |  |  |  |  |
|                | C11   | Gygi et al., "Correlation between protein and mRNA abundance in yeast," Mol. Cell. Biol., 19(3):1720-1730, 1999.  |  |  |  |  |  |
|                | C12   | Herron et al., "Small amounts of alpha-myosin heavy chain isoform expression significantly increase power output of rat cardiac myocyte fragments," Circ. Res., 90:1150-1152, 2002.   |  |  |  |  |  |
|                | C13   | Jespersen et al., "Direct sequencing of neuropeptides in biological tissue by MALDI-PSD mass spectrometry," Anal. Chem., 71:660-666, 1999.  |  |  |  |  |  |
|                | C14   | Kanazawa et al., "Establishment of a method for mapping of N-linked oligosaccharides and its use to analyze industrially produced recombinant erythropoietin," Biol. Pharm. Bull., 22(4):339-346, 1999.   |  |  |  |  |  |
|                | C15   | Li et al., "Single-cell MALDI: a new tool for direct peptide profiling," Trends Biotechnol., 18:151-160, 2000.  |  |  |  |  |  |
|                | C16   | Lim et al., "Expression profiling of cardiac genes in human hypertrophic cardiomyopathy: insight into the pathogenesis of phenotypes," J. Am. Coll. Cardiol., 38(4):1175-1180, 2001.  |  |  |  |  |  |
|                | C17   | Lompre et al., "Myosin isoenzyme redistribution in chronic heart overload," Nature, 282:105-107, 1979.  |  |  |  |  |  |
|                | C18   | Lovelace et al., "Analysis of methionine enkephalin in human pituitary by multi-dimensional reversed-phase high-performance liquid chromatography, radioreceptor assay, radioimmunoassay, fast atom bombardment mass spectrometry, and mass spectrometry-mass spectrometry," J. Chromatogr., 562:573-584, 1991. |  |  |  |  |  |
|                | C19   | Lowes et al., "Changes in gene expression in the intact human heart: downregulation of α-myosin heavy chain in hypertrophied, failing ventricular myocardium," J. Clin. Invest., 100:2315-2324, 1997.   |  |  |  |  |  |
| $\sqrt{}$      | C20   | Lowes et al., "Myocardial gene expression in dilated cardiomyopathy treated with beta-<br>blocking agents," N. Engl. J. Med., 346:1357-1365, 2002.  |  |  |  |  |  |

EXAMINER: DATE CONSIDERED: 10 08 04

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

25364364.1

| Form PTO-1449 (modified)   |             | Atty. Docket No.<br>UTEC:007US   | Serial No.<br>10/697,991 |   |
|--|-------------|----------------------------------|--------------------------|---|
| List of Patents and Publications for                               | Applicant's | Applicant                        |                          |   |
|  |             | M. Benjamin Perryman et al.      |                          |   |
| INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) |             |                                  |                          |   |
|  |             | Filing Date:<br>October 30, 2003 | Group:<br>2881           |   |
|  |             | atent Documents                  | Other Art                | _ |
|  |             | ee Page 1                        | See Page 1               |   |

| Exam.<br>Init. | Ref.<br>Des. | Citation   |
|----------------|--------------|--|
| Y6 C21         |              | Lynn et al., "Identification of enterobacteriaceae bacteria by direct matrix-assisted laser desorption/ ionization mass spectrometric analysis of whole cells," Rapid Commun. Mass. Spectrom., 13:2022-2027, 1999.         |
|                | C22          | Mercadier et al., "Plasticity of myocardial phenotype during cardiac hypertrophy and failure," Bull. Acad. Nat'l Med., 177:917-931(abstract in English), 1993.   |
|                | C23          | Mirogorodskaya et al., "Quantification of peptides and proteins by matrix-assisted laser desorption/ionization mass spectrometry using 18O-labeled internal standards," Rapid Commun. Mass. Spectrom., 14:1226-1232, 2000. |
|                | C24          | Miyata et al., "Myosin heavy chain isoform expression in the failing and nonfailing human heart," Circ. Res., 86:386-390, 2000.  |
|                | C25          | Nadal-Ginard et al., "Molecular basis of cardiac performance," J. Clin. Invest., 84:1693-1700, 1989.   |
|                | C26          | Nakao et al., "Myosin heavy chain gene expression in human heart failure," J. Clin. Invest., 100:2362-2370, 1997.  |
|                | C27          | Nelson et al., "Quantitative determination of proteins by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry," Anal. Chem., 66:1408-1415, 1994.  |
|                | C28          | Nguyen et al., "Protein mass spectrometry: applications to analytical biotechnology," J. Chromatogr., 705:21-45, 1995.   |
|                | C29          | Parker et al., "Induction of S100b in myocardium: an intrinsic inhibitor of cardiac hypertrophy," Can. J. Appl. Physiol., 23(4):377-389, 1998.   |
|                | C30          | Razumova et al., "Simulations predict that expression of small amounts of AMHC in mammalian ventricle significantly accelerates the rate of rise of force," Biophys. J., 80:261a, 2001.                                    |
|                | C31          | Reiser et al., "Human cardiac myosin heavy chain isoforms in fetal and failing adult atria and ventricles," Physiol. Heart Circ. Physiol., 280:H1814-H1820, 2001.  |
|                | C32          | Roepstorff et al., "MALDI-TOF mass spectrometry in protein chemistry," EXS, 88:81-97, 2000.  |
| V              | C33          | Schwartz et al., "Contractile proteins and sarcoplasmic reticulum calcium-ATPase gene expression in the hypertrophied and failing heart," Basic Res. Cardiol., 87:285-290, 1992.   |

25364364.1

| Examiner:                                   | Yelu                               | Hala  | DATE CONSIDERED:  | 10/08                          | 104          |
|---|------------------------------------|---|---|--------------------------------|--------------|
| EXAMINER: INITIAL II CITATION IF NOT IN CON | REFERENCE CONSI<br>FORMANCE AND NO | DERED, WHETHER OR N<br>OT CONSIDERED. INCLU | NOT CITATION IS IN CONFORMANCE WITH ME<br>IDE COPY OF THIS FORM WITH NEXT COMMU | PEP609; DRAW<br>NICATION TO AF | LINE THROUGH |

| Form PTO-1449 (modified)             |             | Atty. Docket No.<br>UTEC:007US   | Serial No.<br>10/697,991 |
|--------------------------------------|-------------|----------------------------------|--------------------------|
| List of Patents and Publications for | Applicant's | Applicant                        |                          |
|                                      |             | M. Benjamin Perryman et al.      |                          |
| Information Disclosure S             | TATEMENT    |                                  |                          |
| (Use several sheets if necessa       | ry)         | Filing Date:<br>October 30, 2003 | Group:<br>2881           |
|                                      |             | Patent Documents                 | Other Art                |
|                                      |             | See Page 1                       | See Page 1               |

## Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

| Exam.<br>Init. | Ref.<br>Des. | Citation   |
|----------------|--------------|--|
| X              | C34          | Schwartz et al., "The molecular biology of heart failure," J. Am. Coll. Cardiol., 22(4):30A-33A, 1993.   |
|                | C35          | Stocckli et al., "Imaging mass spectrometry: a new technology for the analysis of protein expression in mammalian tissues," Nat. Med., 7(4):493-496, 2001.   |
|                | C36          | Tsoporis et al., "S100 $\beta$ inhibits $\alpha$ 1-adrenergic induction of the hypertrophic phenotype in cardiac myocytes," J. Biol. Chem., 272:31915, 1986.   |
|                | C37          | Villanueva et al., "Monitoring the expression and purification of recombinant proteins by MALDI-TOF mass spectrometry," Enzyme Microb. Technol., 29:99-103, 2001.  |
|                | C38          | Wu et al., "Direct plasma sample injection in multiple-component LC-MS-MS assays for high-throughput pharmacokinetic screening," Anal. Chem., 72:61-67, 2000.  |
|                | C39          | Zaluzec et al., "Matrix-assisted laser desorption ionization mass spectrometry: applications in peptide and protein characterization," Protein Expr. Purif., 6:109-123, 1995.  |
|                | C40          | Zhang et al., "Comparison between liquid chromatography-time-of-flight mass spectrometry and selected reaction monitoring liquid chromatography-mass sepctrometry for quantitative determination of idoxifene in human plasma," Chromatogr. B. Biomed. Sci. Apl., 757:151-159, 2001. |
|                | C41          | Zhong et al., "Applications of liquid chromatography-tandem mass spectrometry in drug and biomedical analyses," Clin. Chem. ACTA, 313:147-150, 2001.   |
|                | C42          | Zhu et al., "Opioid and tachykinin neuropeptides in prolactin-secreting human pituitary adenomas," Peptides, 16:1097-1107, 1995.   |
|                | C43          | Zweigenbaum et al., "Bioanalytical high-throughput selected reaction monitoring-LC/MS determination of selected estrogen receptor modulators in human plasma: 2000 samples/day," Anal. Chem., 74:2446-2454, 2000.  |
| 4              | C44          | Zweigenbaum et al., "High-throughput bioanlaytical LC/MS/MS determination of benzodiazepines in human urine: 100 samples per 12 hours," Anal. Chem., 71:2294-2300, 1999.   |

25364364.1

| Examiner:         | Geleen           | Hali             | DATE CONSIDERED:  | 10/08/04 |
|-------------------|------------------|------------------|---|----------|
| EXAMINER: INITIAL | IF REFERENCE CON | ICIDEDED WHETHER | OR NOT CITATION IS BY COMPANY AND A COMPANY | EDCOO D  |

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.